#### **SAFETY DATA SHEET**

Version: 2.0

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: C.R.M.C.

Description: Acidic Liquid

Product Code: NTA CRMC

Suggested Use: Concrete remover equipment wash

Restrictions on Use: None

Supplier: NuTech Specialties, Inc.

9811 South 6150 West West Jordan , UT 84081

Telephone: 801-253-1000 (M-F) 8:00-5:00

Fax: 801-280-0307 Emergency Phone: 800-633-8253

### 2. HAZARDS IDENTIFICATION

**Classification:** 

GHS Classification: Acute Toxicity 4

Skin Corrosion 1

Serious Eye Damage/Eye Irritation 1

Specific Target Organ Systemic Toxicity (single exposure) 3

**GHS Label Elements** 

Pictogram:





Signal Word: Danger

Hazard Statements: H314, Causes Severe Skin Burns and Eye Damage

H335, H336, May cause respiratory irritation. May cause

drowsiness or dizziness.

Precautionary Statements: P261, Avoid breathing dust/fume/gas/mist/vapors/spray

P280, Wear protective gloves/protective clothing/ eye

protection.


P305, P351, P338, If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue Rinsing.

P310, Immediately call a POISON CENTER or

doctor/physician.

**HMIS Classification:** 



NFPA Rating:



Potential Health Effects:

Harmful if ingested or absorbed through the skin

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Concentration
Hydrogen Chloride	7647-01-0	<50%

Synonyms:

### 4. FIRST AID MEASURES

If Inhaled: P304, P340, If INHALED: If <u>breathing</u> is difficult, remove victim to fresh air

and at rest in a position comfortable for breathing.

If inhaled, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician if symptoms are experienced

Skin Contact: P303, P361, P353, If on SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

Flush skin with plenty of water. Remove contaminated clothing and shoes.

If irritation persists, consult a physician.

Eye Contact: P305, P351, P338, If in EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses if able to do so. Immediately call a doctor or physician.

If Ingested: P301, P330, P330, If SWALLOWED: Rinse mouth. <u>Do NOT induce vomiting</u>.

P301, P310, If SWALLOWED: Immediately call POISON CENTER or

doctor/physician

Do not induce vomiting unless instructed to do so by physician. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult physician.

#### 5. FIREFIGHTING MEASURES

Extinguishing Media: Use water-spray, alcohol resistant foam, dry chemical, or

carbon dioxide. Neutralize with soda ash or slaked lime

Hazardous Combustion Products: Firefighting personnel should respond with appropriate

protective clothing, firefighting gear, and breathing

equipment as trained.

Special Protective Equipment

for Firefighters:

In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds. In event of a fire, wear full protective clothing with NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Structural firefighter's protective clothing is ineffective for fires involving Hydrochloric Acid. Stay

is ineffective for fires involving Hydrochloric Acid. Stay away from ends of tanks. Cool tanks with water spray

until well after fire is out.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Always ensure adequate

ventilation. Keep unnecessary and unprotected personnel

from entering.

Environmental Precautions: Contain and recover liquid when possible. Do not let product

enter drains. Neutralize with alkaline material (soda ash, lime) then absorb with an inert material (e.g., vermiculite, dry sand, earth) and place in chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to

sewer!

Containment and Clean Up: Soak up with inert absorbent material and dispose of. Keep in

suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

Safe Handling: Keep away from flames and hot surfaces. Use personal

protective equipment. Always ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible

materials. Do not freeze.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Limits**

Component	CAS Number	Exposure Limit	Basis
Hydrogen Chloride	7647-01-0	5 ppm	OSHA
	•	2 ppm	OSHA

General Controls: Always ensure adequate ventilation and that working areas contain

safety showers and eye wash stations. Handle material in accordance

with good industrial hygiene and safety practices.

### Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have

eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical resistant gloves. Gloves must be inspected

prior to use. Wash and dry hands after use.

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing

to prevent skin contact. Safety showers should be located in work

area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

,	
Color:	Red
Odor:	Acidic
Odor Threshold:	N/D
pH:	1.1

Melting/Freezing Point:	-74° C (-101° F)
Boiling Point:	53°C (127° F)
Flash Point:	N/A
Evaporation Rate:	N/D
Flammability (Solid, Gas):	N/A
Flammability/Explosion Limits:	N/A
Vapor Pressure @ 20°C:	16 kPa
Vapor Density:	1.267 (air=1)
Specific Gravity:	1.1-1.19
Density:	N/A
Solubility in Water:	Complete
Partition Coefficient:	No data available
Auto Ignition Temperature:	No data available
Decomposition Temperature:	No data available
Viscosity @ 15°C:	2.3 mPa.s

### 10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions and Materials to Avoid: Incompatible materials: A strong mineral acid,

cyanides, sulfites and formaldehyde.

Hazardous Decomposition Products: Emits toxic fumes of hydrogen flouride

### 11. TOXICOLOGICAL INFORMATION

Acute Toxicity- Harmful if swallowed

Component	CAS Number	Test	Toxicity
Hydrogen Chloride	7647-01-0	Oral LD50 Rat	3124 ppm/1h
		Oral LD50 Rabbit	900 mg/kg

**Potential Health Effects** 

Inhalation: Corrosive! Inhalation of vapors can cause coughing,

choking, inflammation of the nose, throat, and upper respiratory tract, and in severe cases, pulmonary edema, circulatory failure, and death.

Skin: Corrosive! Can cause redness, pain, and severe skin

burns. Concentrated solutions can cause deep

ulcers and discolor skin.

Eyes: Corrosive! Vapors are irritating and may cause

damage to the eyes. Contact may cause severe

burns and permanent eye damage.

Ingestion: Corrosive! Swallowing hydrochloric acid can cause

immediate pain and burns of the mouth, throat, esophagus and gastrointestinal tract. May cause nausea, vomiting, and diarrhea. Swallowing may be

fatal.

Signs and Symptoms of Exposure: Stomach pain and vomiting

Chronic Effects of Long Term Exposure: Overexposure to fluoride can cause calcification of

bones

Carcinogenicity: Not a carcinogen

### 12. ECOLOGICAL INFORMATION

### **Acute Ecotoxicity**

Component	CAS Number	Organism	Ecotoxicity
Hydrogen Chloride	7647-01-0	Orfe, golden	LC50 862 mg/l

## **Ecological Effects**

Persistence and Degradability: When released into soil, material will leach into ground

water

Bioaccumulation Potential: No further relevant material available

Mobility in Soil: Leach readily into soil

Other Adverse Effects: US regulations (CERLA) require reporting spills and releases

to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response

Center is (800)424-8802

## 13. DISPOSAL CONSIDERATIONS

Disposal: Material should be disposed in accordance with all local, state,

and federal regulations. Regulations vary by region.

Contaminated Packaging: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

**DOT Information** 

Proper Shipping Name: Corrosive Liquids, N.O.S

UN Number: UN1789

Hazard Class: 8
Packing Group: PGII
Reportable Quantity (RQ): 5000#
Marine Pollutant: No

Note:

#### 15. REGULATORY INFORMATION

**US Federal** 

SARA 302 Components: None

SARA 311/312 Hazards: Acute health

SARA 313 Components: None TSCA Inventory: Yes

**European Union** 

EC Inventory: Yes

**State Regulations** 

Utah Clean Air: Yes

## **16. OTHER INFORMATION**

SDS Version: 2.0

Revision Date: 07/14/2021

Supercedes: Version 1.0 5/25/2015

### **Notice to Reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on: