SAFETY DATA SHEET

Version: 2.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Carb Cleaner
Description: Highly volatile
Product Code: NTN CC

Suggested Use:

Restrictions on Use: Avoid ignition sources

Supplier: NuTech Specialties, Inc.

9811 South 6150 West West Jordan , UT 84081

Telephone: 801-253-1000 (M-F) 8:00-5:00

Fax: 801-280-0307 Emergency Phone: 800-633-8253

2. HAZARDS IDENTIFICATION

Classification:

GHS Classification: Flammable 2

Acute Oral Toxicity 3

Skin irritant 2 STOT SE 3 STOT RE 2 ASP TX 1

Aquatic chronic 2

GHS Label Elements

Pictogram:



Signal Word: Danger

Hazard Statements: H225, Highly Flammable Liquid and Vapor

H336, May Cause Drowsiness or Dizziness

H304, May be Fatal if Swallowed and Enters Airways H373, May cause damage to organs through prolonged or

repeated exposure.

H411, Toxic to aquatic life with long lasting effects

H301, Toxic if swallowed

Precautionary Statements:

P210, Keep away from heat/sparks/open flames/hot

surfaces.- No smoking

P233, Keep container tightly closed

P240, Ground/bond container and receiving equipment P241, Use explosion-proof electrical/ventilating/lighting/

equipment

P242, Use only non-sparking tools


HMIS Classification: P243, Take precautionary measures against static discharge.

P260, Do not breathe dust/fumes/gas/mist/vapors/spray P261, Avoid breathing dust/fume/gas/mist/vapors/spray.

P264, Wash thoroughly after handling

P271, Use only outdoors or in well-ventilated area.

P273, Avoid release to the environment.



NFPA Rating:

Health	1
Fire	3
Reactivity	0
Personal Protection	В

Potential Health Effects: N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Concentration
Dimethyl Ketone	67-64-1	<72%
n-Hexane	110-54-3	>10%

Synonyms:

4. FIRST AID MEASURES

If inhaled: If inhaled, move person into fresh air and keep at rest in a position

comfortable for breathing. Call POISON Center or doctor/physician.

Skin Contact: If on SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower. If skin irritation occurs: Get

medical advice/attention.

Eye Contact: If in EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If Ingested: If SWALLOWED: Immediately call a poison center or doctor/physician.

5. FIREFIGHTING MEASURES

Extinguishing Media: Use water-spray, alcohol resistant foam, dry chemical, or

carbon dioxide

Hazardous Combustion Products: Firefighting personnel should respond with appropriate

protective clothing, firefighting gear, and breathing

equipment as trained.

Special Protective Equipment

for Firefighters:

In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon

Dioxide, and unidentified organic compounds.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Always ensure adequate

ventilation.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Prevent

from entering drains and waterways. Discharge into

environment must be avoided.

Containment and Clean Up: Soak up with inert absorbent material and dispose of. Keep in

suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Safe Handling: Keep away from flames and hot surfaces. Use personal

protective equipment. Always ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible

materials. Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component	CAS Number	Exposure Limit	Basis
Dimethyl Ketone	67-64-1	500 ppm	ACGIH
n-Hexane	110-54-3	50 ppm	ACGIH

General Controls: Always ensure adequate ventilation and that working areas contain

safety showers and eye wash stations. Handle material in accordance

with good industrial hygiene and safety practices.

Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have

eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical resistant gloves. Gloves must be inspected

prior to use. Wash and dry hands after use.

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing

to prevent skin contact. Safety showers should be located in work

area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Clear
Odor:	Aromatic odor
Odor Threshold:	306-653 ppm/ 737-1574 mg/m3
pH:	7
Melting/Freezing Point:	-95° C
Boiling Point:	56° C
Flash Point:	-18°C
Evaporation Rate:	No data
Flammability (Solid, Gas):	No data
Flammability/Explosion Limits:	No data
Vapor Pressure @ 20°C:	2.0
Vapor Density:	.79
Specific Gravity:	.71

Density:	5.9 lbs. per gallon
Solubility in Water:	Insoluble
Partition Coefficient:	No data
Auto Ignition Temperature:	No Data
Decomposition Temperature:	No data
Viscosity @ 40°C:	No data

10. STABILITY AND REACTIVITY

Chemical Stability: Highly flammable liquid and vapor Conditions and Materials to Avoid: Ignition sources, strong oxidizers

Hazardous Decomposition Products: Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Acute Toxicity- Not determined

Component	CAS Number	Test	Toxicity
Dimethyl Ketone	67-64-1	Oral Rat LD50	5800 mg/kg
n-Hexane	110-54-3	Dermal LD50	No Data

Potential Health Effects: May cause blindness

Inhalation: May cause drowsiness and dizziness

Skin: Causes skin irritation

Eyes: Not classifies

Ingestion: May be fatal if swallowed and enters airways

Signs and Symptoms of Exposure: Drowsiness and dizziness Chronic Effects of Long Term Exposure: May cause damage to organs

Carcinogenicity: Not classified

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity: Toxic to aquatic life with long lasting effects

Component	CAS Number	Organism	Ecotoxicity
n-hexane	110-54-3	Fish	2.1-2.98 mgl

Ecological Effects

May cause long term adverse effects in the environment Persistence and Degradability:

Bioaccumulation Potential: Not established

Mobility in Soil: No data

Other Adverse Effects: Avoid release to the environment

13. DISPOSAL CONSIDERATIONS

Disposal: Material should be disposed in accordance with all local, state,

and federal regulations. Regulations vary by region.

Dispose of as unused product. Contaminated Packaging:

14. TRANSPORT INFORMATION

DOT Information

Proper Shipping Name: Petroleum distillates, N.O.S.,

UN Number: UN1090

Hazard Class: 3 Packing Group: Ш

Reportable Quantity (RQ): 5000 lbs. No

Marine Pollutant:

Note:

15. REGULATORY INFORMATION

US Federal

SARA 302 Components: None

SARA 311/312 Hazards: Immediate acute health hazard, fire

SARA 313 Components: No TSCA Inventory: Yes

European Union

EC Inventory: Listed

State Regulations

Utah Clean Air: Yes
California Prop 65 No
C.A.R.B. Yes

16. OTHER INFORMATION

SDS Version: 2.0

Revision Date: 07/15/2021

Supercedes: Version 1.0 5/5/2015

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on: