SAFETY DATA SHEET

Version: 2.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Descaler ABX
Description: Acidic Liquid
Product Code: NTA DABX

Suggested Use: Liquid Rust Remover

Restrictions on Use: None

Supplier: NuTech Specialties, Inc.

9811 South 6150 West West Jordan, UT 84081

Telephone: 801-253-1000 (M-F) 8:00-5:00

Fax: 801-280-0307 Emergency Phone: 800-633-8253

2. HAZARDS IDENTIFICATION

Classification:

GHS Classification: Acute Toxicity 4

Skin Corrosion 1

Serious Eye Damage/Eye Irritation 1

Specific Target Organ Systemic Toxicity (single exposure) 3

GHS Label Elements

Pictogram:





Signal Word: Danger

Hazard Statements: H314, Causes Severe Skin Burns and Eye Damage

H335, H336, May cause respiratory irritation. May cause

drowsiness or dizziness.

Precautionary Statements: P261, Avoid breathing dust/fume/gas/mist/vapors/spray

P280, Wear protective gloves/protective clothing/ eye

protection.


P305, P351, P338, If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue Rinsing.

P310, Immediately call a POISON CENTER or

doctor/physician.

HMIS Classification:



NFPA Rating:



Potential Health Effects:

Harmful if ingested or absorbed through the skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Concentration
Phosphoric Acid	7664-38-2	20-30%
Ammonium Biflouride	1341-49-7	5%

Synonyms:

4. FIRST AID MEASURES

If Inhaled: P304, P340, If INHALED: If <u>breathing</u> is difficult, remove victim to fresh air

and at rest in a position comfortable for breathing.

If inhaled, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician if symptoms are experienced

Skin Contact: P303, P361, P353, If on SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

Flush skin with plenty of water. Remove contaminated clothing and shoes.

If irritation persists, consult a physician.

Eye Contact: P305, P351, P338, If in EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses if able to do so. Immediately call a doctor or physician.

If Ingested: P301, P330, P330, If SWALLOWED: Rinse mouth. <u>Do NOT induce vomiting</u>.

P301, P310, If SWALLOWED: Immediately call POISON CENTER or

doctor/physician

Do not induce vomiting unless instructed to do so by physician. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult physician.

5. FIREFIGHTING MEASURES

Extinguishing Media: Use water-spray, alcohol resistant foam, dry chemical, or

carbon dioxide. Neutralize with soda ash or slaked lime

Hazardous Combustion Products: Firefighting personnel should respond with appropriate

protective clothing, firefighting gear, and breathing

equipment as trained.

Special Protective Equipment

for Firefighters:

In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds. In event of a fire, wear full protective clothing with NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Structural firefighter's protective clothing is ineffective for fires involving Hydrochloric Acid. Stay away from ends of tanks. Cool tanks with water spray

until well after fire is out.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Always ensure adequate

ventilation. Keep unnecessary and unprotected personnel

from entering.

Environmental Precautions: Contain and recover liquid when possible. Do not let product

enter drains. Neutralize with alkaline material (soda ash, lime) then absorb with an inert material (e.g., vermiculite, dry sand, earth) and place in chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to

sewer!

Containment and Clean Up: Soak up with inert absorbent material and dispose of. Keep in

suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Safe Handling: Keep away from flames and hot surfaces. Use personal

protective equipment. Always ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible

materials. Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component	CAS Number	Exposure Limit	Basis
Phosphoric Acid	7664-38-2	1 mg/m3	OSHA
Ammonium Biflouride	1341-49-7	2.5(f)mg/m3	OSHA

General Controls: Always ensure adequate ventilation and that working areas contain

safety showers and eye wash stations. Handle material in accordance

with good industrial hygiene and safety practices.

Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have

eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical resistant gloves. Gloves must be inspected

prior to use. Wash and dry hands after use.

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing

to prevent skin contact. Safety showers should be located in work

area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are

appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Blue-Green Liquid

,	2.0.0 0.00 2.90.0
Color:	Blue-Green
Odor:	Acidic
Odor Threshold:	N/D
pH:	1

Melting/Freezing Point:	32° F
Boiling Point:	212° F
Flash Point:	None
Evaporation Rate:	N/A
Flammability (Solid, Gas):	None
Flammability/Explosion Limits:	None
Vapor Pressure @ 20°C:	N/A
Vapor Density:	N/A
Specific Gravity:	1.1
Density:	9.2
Solubility in Water:	Complete
Partition Coefficient:	No data available
Auto Ignition Temperature:	No data available
Decomposition Temperature:	No data available
Viscosity @ 15°C:	N/A

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions and Materials to Avoid: Incompatible materials: A strong mineral acid,

cyanides, sulfites and formaldehyde.

Hazardous Decomposition Products: Emits toxic fumes of hydrogen flouride

11. TOXICOLOGICAL INFORMATION

Acute Toxicity- Harmful if swallowed

Component	CAS Number	Test	Toxicity
Phosphoric Acid	7664-38-2	Oral LD50 Rat	1530 mg/kg
Ammonium Biflouride	1341-49-7	Oral LD50 Rat	1276 ppm

Potential Health Effects

Inhalation: Corrosive! Inhalation of vapors can cause coughing,

choking, inflammation of the nose, throat, and upper respiratory tract, and in severe cases, pulmonary edema, circulatory failure, and death.

Skin: Corrosive! Can cause redness, pain, and severe skin

burns. Concentrated solutions can cause deep

ulcers and discolor skin.

Eyes: Corrosive! Vapors are irritating and may cause

damage to the eyes. Contact may cause severe

burns and permanent eye damage.

Ingestion: Corrosive! Swallowing hydrochloric acid can cause

immediate pain and burns of the mouth, throat, esophagus and gastrointestinal tract. May cause nausea, vomiting, and diarrhea. Swallowing may be

fatal.

Signs and Symptoms of Exposure: Stomach pain and vomiting

Chronic Effects of Long Term Exposure: Overexposure to fluoride can cause calcification of

bones

Carcinogenicity: Not a carcinogen

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity

Component	CAS	Organism	Ecotoxicity
	Number		
Phosphoric Acid	7664-38-2	N/A	
Ammonium Biflouride	1341-49-7	N/A	

Ecological Effects

Persistence and Degradability: When released into soil, material will leach into ground

Leach readily into soil

water

Bioaccumulation Potential: No further relevant material available

Mobility in Soil:

Other Adverse Effects:

13. DISPOSAL CONSIDERATIONS

Disposal: Material should be disposed in accordance with all local, state,

and federal regulations. Regulations vary by region.

Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT Information

Proper Shipping Name: Corrosive Liquids, N.O.S

UN Number: UN1760

Hazard Class: 8
Packing Group: PGII
Reportable Quantity (RQ): 5000#
Marine Pollutant: No

Note:

15. REGULATORY INFORMATION

US Federal

SARA 302 Components: None

SARA 311/312 Hazards: Acute health

SARA 313 Components: None TSCA Inventory: Yes

European Union

EC Inventory: Yes

State Regulations

Utah Clean Air: Yes

16. OTHER INFORMATION

SDS Version: 2.0

Revision Date: 06/16/2021

Supercedes: Version 1.0 5/5/2015

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on: