

# SAFETY DATA SHEET

Version: 2.0

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	High Performance Brake Parts Cleaner 639
Description:	Highly volatile
Product Code:	NTN HP639
Suggested Use:	Cleaning automotive brakes
Restrictions on Use:	Avoid ignition sources
Supplier:	NuTech Specialties, Inc. 9811 South 6150 West West Jordan , UT 84081
Telephone:	801-253-1000 (M-F) 8:00-5:00
Fax:	801-280-0307
Emergency Phone:	800-633-8253

# 2. HAZARDS IDENTIFICATION

Classification:	
GHS Classification:	Flammable 2
	Acute Oral Toxicity 3
	Skin irritant 2
	STOT SE 3
	STOT RE 2
	ASP TX 1
	Aquatic chronic 2
GHS Label Elements	
Pictogram:	
C C	

Signal Word: Hazard Statements: Danger

Danger
H225, Highly Flammable Liquid and Vapor
H336, May Cause Drowsiness or Dizziness
H304, May be Fatal if Swallowed and Enters Airways
H373, May cause damage to organs through prolonged or
repeated exposure.
H411, Toxic to aquatic life with long lasting effects
H301, Toxic if swallowed

**Precautionary Statements:** 



P210,Keep away from heat/sparks/open flames/hot surfaces.- No smoking P233, Keep container tightly closed

P240, Ground/bond container and receiving equipment

P241, Use explosion-proof electrical/ventilating/lighting/ equipment

P242, Use only non-sparking tools

P243, Take precautionary measures against static discharge.


P260, Do not breathe dust/fumes/gas/mist/vapors/spray

P261, Avoid breathing dust/fume/gas/mist/vapors/spray.

P264, Wash thoroughly after handling

P271, Use only outdoors or in well-ventilated area.

P273, Avoid release to the environment.



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	CAS#	Concentration
Methanol	67-56-1	60-70%
n-Hexane	110-54-3	30-40%
2-propanol	67-63-0	5-10%

Synonyms:

**HMIS Classification:** 

Product: High Performance Brake Parts Cleaner 639

# NuTech Specialties Inc.

### 4. FIRST AID MEASURES

If Inhaled:	If inhaled, move person into fresh air and keep at rest in a position
	comfortable for breathing. Call POISON Center or doctor/physician.
Skin Contact:	If on SKIN (or hair): Remove/take off immediately all contaminated
	clothing. Rinse skin with water/shower. If skin irritation occurs: Get
	medical advice/attention.
Eye Contact:	If in EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
If Ingested:	If SWALLOWED: Immediately call a poison center or doctor/physician.

### 5. FIREFIGHTING MEASURES

Extinguishing Media:	Use water-spray, alcohol resistant foam, dry chemical, or carbon dioxide
Hazardous Combustion Products:	Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained.
Special Protective Equipment for Firefighters:	In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment. Always ensure adequate ventilation.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Prevent from entering drains and waterways. Discharge into
Containment and Clean Up:	environment must be avoided. Soak up with inert absorbent material and dispose of. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

Safe Handling:	Keep away from flames and hot surfaces. Use personal	
	protective equipment. Always ensure adequate ventilation.	
Safe Storage:	Keep containers tightly closed in a dry well-ventilated place.	
	Containers which are opened must be carefully resealed and	
	kept upright to prevent leakage. Store away from incompatible	
	materials. Do not freeze.	



#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component		CAS Number	Exposure Limit	Basis
n-Hexane		110-54-3	50 ppm	ACGIH
2-propanol		67-63-0	200 ppm	ACGIH
Methanol		67-56-1	200 ppm	ACGIH
sa	s: Always ensure adequate ventilation and that working areas contain safety showers and eye wash stations. Handle material in accordance with good industrial hygiene and safety practices.			
Personal Protective Equipment				
Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have eye-wash stations available where eye contact can occur.				
Hand Protection:	Handle with chemical resistant gloves. Gloves must be inspected prior to use. Wash and dry hands after use.			
Skin Protection:	Wear long sleeves, a chemical apron, or other protective clothing to prevent skin contact. Safety showers should be located in work area where skin contact can occur.			
Respiratory Protection:	Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.			

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Clear
Odor:	Slight petroleum
Odor Threshold:	N/A
pH:	No data
Melting/Freezing Point:	-95° C
Boiling Point:	68° C
Flash Point:	-22°C
Evaporation Rate:	No data
Flammability (Solid, Gas):	No data
Flammability/Explosion Limits:	No data
Vapor Pressure @ 20°C:	N/A
Vapor Density:	No data
Specific Gravity:	.71

# NuTech Specialties Inc.

Density:	5.9 lbs. per gallon
Solubility in Water:	Insoluble
Partition Coefficient:	No data
Auto Ignition Temperature:	No Data
Decomposition Temperature:	No data
Viscosity @ 40°C:	No data

### **10. STABILITY AND REACTIVITY**

Chemical Stability: Conditions and Materials to Avoid: Hazardous Decomposition Products:

Highly flammable liquid and vapor Ignition sources, strong oxidizers Carbon monoxide

# **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity- Not determined

Component	CAS Number	Test	Toxicity
n-Hexane	110-54-3	Dermal LD50	No Data
Methanol	67-56-1	Oral (Rat)	6200 mg/kg
2-propanol	67-63-0	Oral (Rat)	500 mg/kg

Potential Health Effects: May cause blindness

y cause drowsiness and dizziness
uses skin irritation
t classifies
y be fatal if swallowed and enters airways
owsiness and dizziness
y cause damage to organs
t classified

### **12. ECOLOGICAL INFORMATION**

Acute Ecotoxicity: Toxic to aquatic life with long lasting effects

	Component	CAS Number	Organism	Ecotoxicity
	n-hexane	110-54-3	Fish	2.1-2.98 mgl
Produc	Product: High Performance Brake Parts Cleaner 639			

Product: High Performance Brake Parts Cleaner 639



**Ecological Effects** 

Persistence and Degradability:	May cause long term adverse effects in the environment
Bioaccumulation Potential:	Not established
Mobility in Soil:	No data
Other Adverse Effects:	Avoid release to the environment

#### **13. DISPOSAL CONSIDERATIONS**

Disposal:	Material should be disposed in accordance with all local, state,
	and federal regulations. Regulations vary by region.
Contaminated Packaging:	Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

**DOT Information** 

Proper Shipping Name:	Petroleum distillates, N.O.S.,
UN Number:	UN1268
Hazard Class:	3
Packing Group:	II
Reportable Quantity (RQ):	5000 lbs.
Marine Pollutant:	No
Note:	

#### **15. REGULATORY INFORMATION**

**US Federal** 

Product: High Performance Brake Parts Cleaner 639



SARA 302 Components:NoneSARA 311/312 Hazards:ImmediatSARA 313 Components:NoTSCA Inventory:Yes

Immediate acute health hazard, fire

#### **European Union**

EC Inventory: Listed

#### **State Regulations**

Utah Clean Air:	Yes
California Prop 65	No
C.A.R.B.	Yes

#### **16. OTHER INFORMATION**

SDS Version:	2.0	
Revision Date:	7/28/2021	
Supercedes:	Version 1.0	05/05/2015

#### Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on: