

SAFETY DATA SHEET

Version:

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Spray Wax 400 Concentrate

Description: Water & Oil Emulsion

Product Code: NTN SW400

Suggested Use: Automotive Cleaning

Restrictions on Use:

| Supplier: | NuTech Specialties, Inc. | |
|------------------|--------------------------|-----------------|
| | 9811 South 6150 West | |
| | West Jordan, UT 84081 | |
| Telephone: | 801-253-1000 | (M-F) 8:00-5:00 |
| Fax: | 801-280-0307 | |
| Emergency Phone: | 800-633-8253 | |

2. HAZARDS IDENTIFICATION Classification:

Acute Oral Toxicity 5, Aspiration Hazard 2, Causes Eye Irritation 2b

GHS Classification:

GHS Label Elements Pictogram:




| Signal Word: Hazard Statements: | WARNING H303, May be harmful if swallowed H305, May be harmful if swallowed and enters airways H320, Causes eye irritation |
|------------------------------------|--|
| Precautionary Statements: | P270, Do no eat, drink or smoke when using this product. P280, Wear protective gloves/protective clothing/eye protection/face protection P301+P312, IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. |
| Product: | Spray Wax 400 Concentrate |

P305+P351+P338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

0

0

С



Fire

Personal

Protection

Reactivity

HMIS Classification:

NFPA Rating:



3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Component</u> | CAS# | Concentration |
|------------------------|------------|---------------|
| <u>Glycol Ether EB</u> | 111-76-2 | 10% |
| Mineral Seal Oil | 64742-46-7 | 5% |

Synonyms:

Product:

4. FIRST AID MEASURES

| If Inhaled: | If inhaled, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if symptoms are experienced |
|---------------|---|
| Skin Contact: | Flush skin with plenty of water. Remove contaminated clothing and shoes. If irritation persists, consult a physician. |
| Eye Contact: | Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if able to do so. Immediately call a doctor or physician. |
| If Ingested: | Do not induce vomiting unless instructed to do so by physician. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult physician. |

5. FIREFIGHTING MEASURES

| Extinguishing Media: | Use water-spray, alcohol resistant foam, dry chemical, or carbon dioxide |
|--|---|
| Hazardous Combustion Products: | Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained. |
| Special Protective Equipment for Firefighters: | In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds. |

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Use personal protective equipment. Always ensure adequate |
|-----------------------|---|
| | ventilation. |
| Product: | Spray Wax 400 Concentrate |



| Environmental Precautions: | Prevent further leakage or spillage if safe to do so. Prevent from entering drains and waterways. Discharge into environment must be avoided. |
|----------------------------|---|
| Containment and Clean Up: | Soak up with inert absorbent material and dispose of. Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

| Safe Handling: | Keep away from flames and hot surfaces. Use personal protective equipment. Always ensure adequate ventilation. |
|----------------|--|
| Safe Storage: | Keep containers tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials. Do not freeze. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

| Component | CAS Number | Exposure Limit | Basis |
|------------------|------------|----------------|-------|
| Glycol Ether EB | 111-76-2 | 20 ppm | ACGIH |
| Mineral Seal Oil | 64742-46-7 | 5 MG/M3 | ACGIH |

General Controls: Always ensure adequate ventilation and that working areas contain safety showers and eye wash stations. Handle material in accordance with good industrial hygiene and safety practices.

Personal Protective Equipment



| Eye Protection: | Tightly fitting safety glasses or goggles should be sufficient. Have eye-wash stations available where eye contact can occur. |
|-------------------------|---|
| Hand Protection: | Handle with chemical resistant gloves. Gloves must be inspected prior to use. Wash and dry hands after use. |
| Skin Protection: | Wear long sleeves, a chemical apron, or other protective clothing to prevent skin contact. Safety showers should be located in work area where skin contact can occur. |
| Respiratory Protection: | Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: | Liquid |
|--------------------------------|---------------|
| Color: | Amber |
| Odor: | Mild |
| Odor Threshold: | N/A |
| pH: | 7 |
| Melting/Freezing Point: | Above 32° F |
| Boiling Point: | Above 212° F |
| Flash Point: | N/A |
| Evaporation Rate: | N/A |
| Flammability (Solid, Gas): | N/A |
| Flammability/Explosion Limits: | N/A |
| Vapor Pressure @ 20°C: | N/A |
| Vapor Density: | N/A |
| Specific Gravity: | .96 |
| Density: | 8 lbs per gal |
| Solubility in Water: | Water Soluble |
| Partition Coefficient: | N/A |
| Auto Ignition Temperature: | N/A |
| Decomposition Temperature: | N/A |
| Viscosity @ 40°C: | N/A |



10. STABILITY AND REACTIVITY

| Chemical Stability: | Stable under normal conditions |
|------------------------------------|--------------------------------|
| Conditions and Materials to Avoid: | N/A |
| | |

Hazardous Decomposition Products: Under fire conditions, carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute Toxicity- Not determined

| Component | CAS Number | Test | Toxicity |
|------------------|------------|----------|-------------|
| Glycol Ether EB | 111-76-2 | Oral Rat | 1300 mg/kg |
| Mineral Seal Oil | 64742-46-7 | Oral Rat | >5000 mg/kg |

Potential Health Effects

| Inhalation: | No hazard in normal industrial use |
|--|------------------------------------|
| Skin: | May cause skin irritation |
| Eyes: | Causes eye irritation |
| Ingestion: | Aspiration Hazard |
| | |
| Signs and Symptoms of Exposure: | N/A |
| Chronic Effects of Long Term Exposure: Carcinogenicity: | N/A No |

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity

| Component | CAS Number | Organism | Ecotoxicity |
|-----------------|------------|----------|-----------------------------|
| Glycol Ether EB | 111-76-2 | Algae | 72 lvz. EC-50->1000 mg/1 |

Ecological Effects

| Persistence and Degradability: | Biodegradable |
|--------------------------------|--------------------------------|
| Bioaccumulation Potential: | None expected |
| Mobility in Soil: | Expected to partition to water |
| Other Adverse Effects: | |

13. DISPOSAL CONSIDERATIONS

| Disposal: | Material should be disposed in accordance with all local, state, and federal regulations. Regulations vary by region. |
|-----------|---|
| | |

Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT Information

Proper Shipping Name: Non-hazardous

UN Number:

Hazard Class:

Packing Group:

Reportable Quantity (RQ):

Marine Pollutant:

Note:

15. REGULATORY INFORMATION

| US Federal |
|------------|
|------------|

| SARA 302 Components: | Non listed |
|-----------------------|----------------------------------|
| SARA 311/312 Hazards: | Acute Health Hazard |
| SARA 313 Components: | Glycol Ether Category |
| TSCA Inventory: | Listed or Exempted |
| European Union | |
| EC Inventory: | EINECS 203-905-0 Glycol Ether EB |
| State Regulations | |
| Utah Clean Air: | |

16. OTHER INFORMATION

SDS Version:

Product:

Spray Wax 400 Concentrate



Revision Date: 2-9-21

Supercedes:

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on: